

VINÉA STAVE 18 MM HYDRO CÉRAMIQUE



Vinéa STAVES

TRADITIONS DU FUTUR

Chauffe Hydro Céramique

Produits Bois Oenologiques pour l'Élevage des Vins

Spécifications : Staves épaisse 18 mm Hydro Céramique

| | |
|------------------------------|---|
| ORIGINE DU BOIS/GRAINS | Centre France (Loches, Bercé, Jupille, Châteauroux) /Grains fins |
| SÉCHAGE | 36 mois à l'air libre sur parc |
| TORRÉFACTION CONTRÔLÉE | Torréfaction par céramique à cœur après imprégnation de vapeur d'eau pure |
| UTILISATION | Sur les vins rouges et les vins blancs. Lames à utiliser en élevage. Le nombre de lames et le temps de contact sont déterminés en fonction des caractéristiques organoleptiques du vin et de l'objectif à atteindre en élevage. |
| TEMPS DE CONTACT | Au moins 3 mois. Possibilité de faire passer deux vins. |
| DURÉE DE VIE | 12 mois utiles |
| DIMENSIONS*/ CONDITIONNEMENT | 91 cm x 5 cm x 1,8 cm Percées à 1 extrémité. |
| CODE PRODUIT | QFRVS1836HYDRO |
| CONTRÔLE ET ANALYSES | Pesticides organophosphores, pesticides organochlorés, pesticides pyréthroides, Haloanisoles et Halophénols, Benzo(a)Pyrene. |



Vinéa STAVES

La cuisson Hydro Céramique assure une qualité constante, offre une très bonne pénétration de la chauffe et oriente le profil aromatique des bois.

EFFETS SENSORIELS

Développe une structure tannique élégante et bien intégrée.
Apporte de la suavité et de la sucrosité au vin dans le respect du fruit.

TYPE DE CHAUFFE

DOUCE
Apport structurant.
Finesse aromatique. Douceur et élégance.

MOYENNE
Sensation de surosité.
Notes florales et vanilléées. Complexité aromatique.

MOYENNE +
Sensation suave.
Notes de torréfaction et d'épices.

*Données indicatives. Document non-contractuel.



AROMOK®

HYDRO CERAMIC TOASTED THICK STAVE

Vinéa STAVES

TRADITIONS OF THE FUTURE

Hydro Ceramic Toasting

Enological oak products for ageing wines

Technical Specifications : Hydro Ceramic Thick Staves 18 mm

| | |
|-----------------------------|--|
| WOOD ORIGIN/GRAIN SELECTION | Frenh Oak (Loches, Bercé, Jupille, Châteauroux) / Fine grain |
| DRYING | Natural air drying for at least 36 months |
| TOASTING | Ceramic toasting to the heart after being saturated by pure steam |
| USE | On whites and reds. Staves to use during ageing. The number of staves and contact time are determined according to the wine's organoleptic characteristics and maturation goals. |
| CONTACT TIME | At least 3 months. Possibility of treating two wines over the same staves. |
| LIFESPAN | 12 months of use |
| DESCRIPTION* | 91 cm x 5 cm x 1,8 cm Hole drilled into one end. |
| PRODUCT CODE | EXAQFRVS1836HYDRO |
| ANALYSIS AND CONTROL | Pesticides organophosphores, pesticides oragnochlorés, pesticides pyrethoides, Haloanisoles et Halophenols, Benzo(a)Pyrene. |



Vinéa STAVES

Hydro Ceramic Toasting ensures consistent quality along with a very deep wood cooking.
Adjusts the oak's aromatic profile.

SENSORIAL EFFECTS

Develops a tannic structure with finesse and elegance, bringing to the wine smoothness and a gentle finish.
Respect of fruit.

KIND OF TOASTING

LIGHT TOAST

Contributes to tannic structure.
Aromatic finesse, softness and elegance.

MEDIUM TOAST

Sweetness.
Floral and vanilla nuances. Greater aromatic complexity.

MEDIUM + TOAST

Sweet sensation.
Hints of toastiness and spicy aromas.

*Indicative data. Non contractual document.



AROMOAK®